MSPG-3233 MSPG-4233 MSPG-4600 MSPG-6100

1-1.Connect to cable



- Turn off MSPG-4233MT First.
- Connect it as below.
- Use the PS2 cable provided by Master Co.,Ltd.





1-2.Connect to cable

Turn on the MSPG-4233MT, if cable connect successfully, you can see below LCD screen.



2-1.Connect to PC

Run to "MSPG File Transfer.exe"



Push the "COM SETUP" button for set up.





2-1.Connect to PC



Check the COM port at your PC, and push "Connect".

RS23	2C Setup ——		
	COM PORT	СОМ1	
	Baud Rate	115200 -	
	Data Bit	8 👻	
	Stop Bit	1 💌	
	Parity Bit	NONE	
	Connect	Disconnect	
N	ot Opened Any	Communications!!	
			EXIT

- Baud Rate 115200
- Data Bit 8
- Stop Bit 1
- Parity Bit None



3-1.Main program update.

Select to "System ROM File" tap, and push "open file"

BG(VC2033) File Tran	sfer V1.00(Beta)		
BMP File System ROM File	NvRAM File	1/0 device UART	COM SETUP EXIT
	Open File Send File CLEAR MSG H File Name: [nsno?113fest DAT 얻기 왕는 위치(I): CData BMP @mepg2033fest DAT	ELP	3
	파일 미름(N): mspg2033Rest DAT 파일 형식(T): DATA FILE (*,DAT)	열기(<u>0</u>) · · · · · · · · · · · · · · · · · · ·	
0%	0/0	100%	

Select to main program as Master Co.,Ltd given, and open it.



3-1.Main program update.

Push the "Send file" for update program.

😹 PG(VC2033) File	Transfer V1.00(Beta)							
		1/0 d	device UART	COM SETUP EXIT				
BMP File System ROM File NvRAM File								
	Open File Send File File Name: msp2033est.DAT File Info: msp2033est.DAT Load Completel! DAT Size 534148 Bytes	CLEAR MSG HELP Make ROM File	1621 0 1 0x0000008 0x0000008 0x0000008 0x00000008 0x0000008 0x0000008 0x00000008 0x00000008 0x0000000 0x00000008 0x0000000 0x000000 0x00000000 0x000000 0x000000 0x00000000 0x000000 0x000000 0x6000000 0x600000 0x600000 0x600000000 0x60000000 0x0000000 0x600000000 0x0000000 0x0000000 0x6000000000 0x0000000 0x0000000 0x0000000000 0x00000000 0x0000000 0x00000000000000000000000000000000000					
	0% 07	0 100	3%					
	1							

- Program upgrade will be begin with upgrade status bar.
- Upgrade finish with Beep sound, please turn off the MSPG-4233MT, and unplug to PS2 cable.
- END