

IMX-SLOT

SLOTS FOR MASTER ELECTRONICS MODULAR MATRIX

HDMI SLOT



Item		Specification
INPUT SLOT	MXL-IHD4N	Connector : HDMI Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : X Seamless : X OSD : X Data Rate : 10.2Gbps Power Rate: 5W
	MXL-IHD4C	Connector : HDMI Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 18.5W
	MXL-IHD4C-A	Connector : HDMI(Audio) Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 18.5W
	MXL-IHD4C-4K	Connector : HDMI Min Resolution : 640x480@60Hz Max Resolution : 4K@60Hz Scaler : O Seamless : O OSD : O Data Rate : 18Gbps Power Rate: 20W

IMX-SLOT

SLOTS FOR MASTER ELECTRONICS MODULAR MATRIX

Item		Specification
OUTPUT SLOT	MXL-OHD4N	Connector : HDMI Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : X Seamless : X OSD : X Data Rate : 10.2Gbps Power Rate: 5W
	MXL-OHD4C	Connector : HDMI Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 18.5W
	MXL-OHD4C-A	Connector : HDMI(Audio) Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 18.5W
	MXL-OHD4C-4K	Connector : HDMI Min Resolution : 640x480@60Hz Max Resolution : 4K@60Hz Scaler : O Seamless : O OSD : O Data Rate : 18Gbps Power Rate: 20W
	MXL-OHD4S	Connector : HDMI(Multi View) Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 26W

IMX-SLOT

SLOTS FOR MASTER ELECTRONICS MODULAR MATRIX

DVI SLOT



Item		Specification
INPUT SLOT	MXL-IDV4N	Connector : DVI Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : X Seamless : X OSD : X Data Rate : 10.2Gbps Power Rate: 5W
	MXL-IDV4C	Connector : DVI Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 18.5W
OUTPUT SLOT	MXL-ODV4N	Connector : DVI Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : X Seamless : X OSD : X Data Rate : 10.2Gbps Power Rate: 5W
	MXL-ODV4C	Connector : DVI Min Resolution : 640x480@60Hz Max Resolution : 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 18.5W

IMX-SLOT

SLOTS FOR MASTER ELECTRONICS MODULAR MATRIX

SDI SLOT



Item		Specification
INPUT SLOT	MXL-ISD4C	Connector : SDI Min Resolution : 720x480i@60Hz Max Resolution : 1080p@60Hz Scaler : O Seamless : O OSD : O Data Rate : 2.97Gbps Power Rate: 19W
OUTPUT SLOT	MXL-OSD4C	Connector : SDI Min Resolution : 720x480i@60Hz Max Resolution : 1080p@60Hz Scaler : O Seamless : O OSD : O Data Rate : 2.97Gbps Power Rate: 20.5W

IMX-SLOT

SLOTS FOR MASTER ELECTRONICS MODULAR MATRIX

HDBaseT SLOT




Item		Specification
INPUT SLOT	MXL-IHB4C	Connector : HDBaseT Min Resolution : 640x480@60Hz Max Resolution : 1080p@60Hz or 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 33W
OUTPUT SLOT	MXL-OHB4C	Connector : HDBaseT Min Resolution : 640x480@60Hz Max Resolution : 1080p@60Hz or 4K@30Hz Scaler : O Seamless : O OSD : O Data Rate : 8.91Gbps Power Rate: 26W

IMX-SLOT

SLOTS FOR MASTER ELECTRONICS MODULAR MATRIX

FIBER OPTIC SLOT



Item		Specification
INPUT SLOT	MXL-IFI4C	Connector : Optical Min Resolution : 640x480@60Hz Max Resolution : 1080p@60Hz or 1600x1200 Scaler : O Seamless : O OSD : O Data Rate : 4.95Gbps Power Rate: 26.5W
OUTPUT SLOT	MXL-OFI4C	Connector : Optical Min Resolution : 640x480@60Hz Max Resolution : 1080p@60Hz or 1600x1200 Scaler : O Seamless : O OSD : O Data Rate : 4.95Gbps Power Rate: 29W